



MINI WONDER HELPER MULTI-FUNCTIONAL VACUUM CLEANER N0680MVC



120G
ULTRA LIGHTWEIGHT



PERFECT FOR EVERY
CORNER OF YOUR HOME



13,000 PA SUCTION POWER



ELECTRIC AIR DUSTER / BALLON PUMP



REMOVABLE BATTERY



200ML DUST CAPACITY



SPACE-SAVING CHARGING DOCK





2 SUCTION MODES

Rated Voltage	: 220-240V 50/60Hz
Rated Power	: 120W
Lithium Ion Battery	: 2200mAh 11.1V
Motor	: Brushless DC Motor
Working Time	: 9 mins @ 13 kPa
	: 20 mins @ 7 kPa
Charging Time	: 4.5 hours

WHAT IS BLDC?

Brushless DC (BLDC) motors redefine performance. Unlike conventional DC motors, BLDC motors **operate without brushes**. This design ensures **longer-lasting** and **whisper-quiet** operation. Experience **energy savings** and **reliability**.





210 - 300MM
ADJUSTABLE HEIGHT

CORDLESS STICK VACUUM CLEANER N6630SVC



19,000 PA SUCTION POWER



2 SUCTION MODES



REMOVABLE BATTERY



760ML DUST CAPACITY

Rated Voltage : 220-240V 50/60Hz
 Rated Power : 200W
 Lithium Ion Battery : 2200mAh 22.2V
 Motor : Brushless DC Motor
 Working Time : 12 mins @ 19 kPa
 : 55 mins @ 6 kPa
 Charging Time : 5 hours



CORDLESS STICK VACUUM CLEANER N6660SVC



140W DC MOTOR



12,000 PA SUCTION POWER



2 SUCTION MODES




UP TO 45 MINS WORKING TIME



650ML DUST CAPACITY

Rated Voltage : 220-240V 50/60Hz
 Rated Power : 140W
 Lithium Ion Battery : 2200mAh 22.2V
 Motor : DC Motor
 Working Time : 25 mins @ 12 kPa
 : 45 mins @ 4 kPa
 Charging Time : 4.5 hours



FOLDABLE TUBE TO
EXTEND CLEANING
REACH EFFORTLESSLY

CORDLESS STICK VACUUM CLEANER N6830SVC



23,000 PA SUCTION POWER



2 SUCTION MODES



REMOVABLE BATTERY



1L DUST CAPACITY



HEPA FILTER

Rated Voltage : 220-240V 50/60Hz
 Rated Power : 280W
 Lithium Ion Battery : 2200mAh 25.9V
 Motor : Brushless DC Motor
 Working Time : 15 mins @ 23 kPa
 : 45 mins @ 7 kPa
 Charging Time : 4.5 hours



CORDLESS WET AND DRY STICK VACUUM CLEANER N6850SVC



18,000 PA SUCTION POWER



2 SUCTION MODES



UP TO 25 MINS WORKING TIME




780ML CLEAN WATER TANK
700ML DIRTY WATER TANK



HEPA FILTER

Rated Voltage : 220-240V 50/60Hz
 Rated Power : 350W
 Lithium Ion Battery : 3000mAh 28.8V
 Motor : Brushless DC Motor
 Working Time : 15 mins @ 18 kPa
 : 25 mins @ 9 kPa
 Charging Time : 6 hours



CORDLESS HANDHELD VACUUM CLEANER N0650HVC



2 SUCTION MODES



UP TO 20 MINS WORKING TIME



250ML DUST CAPACITY



HEPA FILTER

Rated Voltage : 220-240V 50/60Hz
 Rated Power : 135W
 Lithium Ion Battery : 2200mAh 14.8V
 Motor : Brushless DC Motor
 Working Time : 9 mins @ 11 kPa
 : 20 mins @ 7 kPa
 Charging Time : 4.5 hours



CORDLESS STICK VACUUM CLEANER N6960SVC



20,000 PA SUCTION POWER



2 SUCTION MODES



REMOVABLE BATTERY



UP TO 45 MINS WORKING TIME



1L DUST CAPACITY



HEPA FILTER

Rated Voltage : 220-240V 50/60Hz
 Rated Power : 200W
 Lithium Ion Battery : 2200mAh 22.2V
 Motor : Brushless DC Motor
 Working Time : 12 mins @ 20 kPa
 : 55 mins @ 4 kPa
 Charging Time : 4.5 hours



**8" 360 HIGH VELOCITY
AIR CIRCULATOR
N1008AC**

- 3 SPEED SELECTION
- 90° UP-DOWN OSCILLATION
- 90° / 360° LEFT-RIGHT OSCILLATION

Voltage	: 220-240V~ 50/60Hz
Rated Power	: 36W
Product Dimensions	: L240 x W215 x H341 MM
Packaging Dimensions	: L260 x W235 x H365 MM
Net Weight	: 2.5 KG

**EASILY DISASSEMBLED
FOR EFFORTLESS CLEANING**



Designed with convenience in mind, NNIO N1008AC can be fully disassembled, making cleaning a breeze.



**10" HIGH VELOCITY AIR
CIRCULATOR WITH REMOTE
N1005DCACR**

- 8 SPEED SELECTION
- 3 MODE SELECTION
- 70° UP-DOWN & LEFT-RIGHT OSCILLATION

Voltage	: 220-240V~ 50/60Hz
Rated Power	: 25W
Product Dimensions	: L275 x W230 x H370 MM
Packaging Dimensions	: L307 x W253 x H393 MM
Net Weight	: 2.5 KG

**EASILY DISASSEMBLED
FOR EFFORTLESS CLEANING**



Designed with convenience in mind, NNIO N1005DCACR can be fully disassembled, making cleaning a breeze.

8" 360 HIGH VELOCITY AIR CIRCULATOR WITH REMOTE N1800DCACR



- 8 SPEED SELECTION
- 3 MODE SELECTION
- 90° UP-DOWN OSCILLATION
- 90° / 360° LEFT-RIGHT OSCILLATION

Voltage : 220-240V~ 50/60Hz
 Rated Power : 18W
 Product Dimensions : L240 x W215 x H341 MM
 Packaging Dimensions : L260 x W235 x H365 MM
 Net Weight : 2.5 KG

EASILY DISASSEMBLED FOR EFFORTLESS CLEANING




Designed with convenience in mind, NNIO N1800DCACR can be fully disassembled, making cleaning a breeze.



14" BLDC STAND FAN WITH REMOTE N1400DCSFR

- 24 SPEED SELECTION
- 3 MODE SELECTION
- 9 HOUR TIMER
- 45° / 90° UP-DOWN & LEFT-RIGHT OSCILLATION

Voltage : 220-240V~ 50/60Hz
 Rated Power : 36W
 Product Dimensions : L390 x W390 x H940-1150 MM
 Packaging Dimensions : L821 x W420 x H221 MM
 Net Weight : 4.2 KG



10" WALL AIR CIRCULATOR WITH REMOTE N1000DCWFR

- 8 SPEED SELECTION
- 3 MODE SELECTION
- 9 HOUR TIMER
- 60° UP-DOWN OSCILLATION
- 70° LEFT-RIGHT OSCILLATION
- MOTION-ACTIVATED
- BUILT-IN NIGHTLIGHT

Voltage : 220-240V~ 50/60Hz
 Rated Power : 25W
 Product Dimensions : L275 x W328 x H560MM
 Packaging Dimensions : L596 x W313 x H356 MM
 Net Weight : 3.5 KG

EASILY DISASSEMBLED FOR EFFORTLESS CLEANING




Designed with convenience in mind, NNIO N1000DCWFR can be fully disassembled, making cleaning a breeze.



16" TABLE FAN N1610TF

- 3 ABS BLADES
- 3 SPEED SELECTION
- LEFT-RIGHT OSCILLATION

Voltage : 220-240V~ 50/60Hz
 Rated Power : 50W
 Product Dimensions : L450 x W285 x H620 MM
 Packaging Dimensions : L480 x W135 x H570 MM
 Net Weight : 2.79 KG
 Gross Weight : 3.65 KG



**BLDC BLADELESS FAN
N6100DCBLF**



9 SPEED SELECTION



8 HOUR TIMER




AUTOMATIC
LEFT-RIGHT OSCILLATION



CHILD & PET SAFE

Voltage : 220-240V~ 50/60Hz
 Rated Power : 24W
 Product Dimensions : L210 x W210 x H500 MM
 Packaging Dimensions : L236 x W236 x H550 MM
 Net Weight : 2.1 KG



**BLDC BLADELESS FAN
WITH REMOTE
N6200DCBLFR**



9 SPEED SELECTION



8 HOUR TIMER



AUTOMATIC
LEFT-RIGHT OSCILLATION



CHILD & PET SAFE

Voltage : 220-240V~ 50/60Hz
 Rated Power : 35W
 Product Dimensions : L250 x W250 x H970 MM
 Packaging Dimensions : L1025 x W285x H280 MM
 Net Weight : 3.3 KG



**16" STAND FAN
N1660SF**

- 6 ABS BLADES
- 3 SPEED SELECTION
- 2 HOUR TIMER

Voltage	: 220-240V/50Hz
Rated Power	: 60W
Product Dimensions	: L450 x W410 x H1360 MM
Packaging Dimensions	: L545 x W150 x H560 MM
Net Weight	: 6.15 KG
Gross Weight	: 7.18 KG



**16" STAND FAN WITH REMOTE
N1670SFR**

- 6 ABS BLADES
- 3 SPEED SELECTION
- 3 MODE SELECTION
- 9 HOUR TIMER

Voltage	: 220-240V/50Hz
Rated Power	: 65W
Product Dimensions	: L450 x W410 x H1360 MM
Packaging Dimensions	: L545 x W150 x H560 MM
Net Weight	: 5.97 KG
Gross Weight	: 7.18 KG



**16" STAND FAN
N1680SF**

- 5 ABS BLADES
- 3 SPEED SELECTION
- 2 HOUR TIMER

Voltage : 220-240V/50Hz
 Rated Power : 50W
 Product Dimensions : L445 x W400 x H1310 MM
 Packaging Dimensions : L500 x W150 x H585 MM
 Net Weight : 5.83 KG
 Gross Weight : 7.2 KG



**16" STAND FAN WITH REMOTE
N1690SFR**

- 5 ABS BLADES
- 3 SPEED SELECTION
- 3 MODE SELECTION
- 7.5 HOUR TIMER

Voltage : 220-240V/50Hz
 Rated Power : 55W
 Product Dimensions : L445 x W400 x H1310 MM
 Packaging Dimensions : L500 x W150 x H585 MM
 Net Weight : 5.83 KG
 Gross Weight : 7.2 KG



**18" STAND FAN
N1810SF**

- 6 ABS BLADES
- 3 SPEED SELECTION
- 2 HOUR TIMER

Voltage	: 220-240V/50Hz
Rated Power	: 80W
Product Dimensions	: L450 x W510 x H1470 MM
Packaging Dimensions	: L545 x W150 x H560 MM
Net Weight	: 7.26 KG
Gross Weight	: 8.67 KG



**18" STAND FAN WITH REMOTE
N1820SFR**

- 6 ABS BLADES
- 3 SPEED SELECTION
- 3 MODE SELECTION
- 9 HOUR TIMER

Voltage	: 220-240V/50Hz
Rated Power	: 85W
Product Dimensions	: L450 x W510 x H1470 MM
Packaging Dimensions	: L545 x W150 x H560 MM
Net Weight	: 7.26 KG
Gross Weight	: 8.67 KG



**16" WALL FAN
WITH REMOTE
N1620WFR**

- 5 ABS BLADES
- 3 SPEED SELECTION
- 2 MODE SELECTION
- 7 HOUR TIMER

Voltage	: 220-240V/50Hz
Rated Power	: 60W
Product Dimensions	: L445 x W530 x H550 MM
Packaging Dimensions	: L480 x W160 x H565 MM
Net Weight	: 3.23 KG
Gross Weight	: 4.23 KG



**16" WALL FAN
N1630WF**

- 5 ABS BLADES
- 3 SPEED SELECTION
- LEFT-RIGHT OSCILLATION

Voltage	: 220-240V/50Hz
Rated Power	: 60W
Product Dimensions	: L445 x W530 x H550 MM
Packaging Dimensions	: L445 x W330 x H550 MM
Net Weight	: 3.22 KG
Gross Weight	: 4.22 KG






**16" WALL FAN
WITH REMOTE
N1640WFR**

- 5 ABS BLADES
- 3 SPEED SELECTION
- 7 HOUR TIMER

Voltage	: 220-240V/50Hz
Rated Power	: 60W
Product Dimensions	: L445 x W330 x H550 MM
Packaging Dimensions	: L480 x W160 x H565 MM
Net Weight	: 3.25 KG
Gross Weight	: 4.25 KG



**PORTABLE HIGH
SPEED USB FAN
N2800USBF**

-  COMPACT AND PORTABLE
-  UP TO 100 STEPLESS FAN SPEED SELECTION
-  UP TO 11 HOURS OF STRONG WIND

Cell Type	: Li-18650
Capacity	: 5000mAh
Type-C Input	: 5W/2A
Power	: 60W
Working Time	: < 11 hours
Charging Time	: 3 hours
Speed Settings	: Up to 100
Material	: ABS + Plate
Product Dimensions	: 171 x 59.5 x 58MM
Weight	: 205 G



INSTANT SHOWER HEATER N3230SH



MADE IN MALAYSIA



SPLASH PROOF IP25 STANDARD



ANTI-SCALD PROTECTION

Rated Voltage	: 230V 50/60Hz
Rated Power	: 3.3kW
Min. Water Flow	: 2 L/m
Min. Inlet Water Pressure	: 0.2 Bar (0.02Mpa)
Max. Inlet Water Pressure	: 3 Bar (0.3Mpa)
Heater Tank	: Polymer
Product Dimensions	: H360 x W240 x D96 MM
Packaging Dimensions	: L570 x W268 x H112 MM
Net Weight	: 1.4 KG
Gross Weight	: 2.6 KG



INSTANT SHOWER HEATER N8280SH



MADE IN MALAYSIA



SPLASH PROOF IP25 STANDARD



EARTH LEAKAGE CIRCUIT BREAKER



ANTI-SCALD PROTECTION

Rated Voltage	: 230V 50/60Hz
Rated Power	: 3.3kW
Min. Water Flow Rate	: 2 L/m
Min. Inlet Water Pressure	: 0.2 Bar (0.02Mpa)
Max. Inlet Water Pressure	: 3 Bar (0.3Mpa)
Heater Tank	: Polymer
Product Dimensions	: H425 x W200 x D95 MM
Packaging Dimensions	: L570 x W268 x H112 MM
Net Weight	: 1.5 KG
Gross Weight	: 2.7 KG



INSTANT SHOWER HEATER N8380SH



MADE IN MALAYSIA



SPLASH PROOF IP25 STANDARD



EARTH LEAKAGE CIRCUIT BREAKER



ANTI-SCALD PROTECTION

Rated Voltage	: 230V 50/60Hz
Rated Power	: 3.3kW
Min. Water Flow Rate	: 2 L/m
Min. Inlet Water Pressure	: 0.2 Bar (0.02Mpa)
Max. Inlet Water Pressure	: 3 Bar (0.3Mpa)
Heater Tank	: Copper
Product Dimensions	: H425 x W200 x D95 MM
Packaging Dimensions	: L570 x W268 x H112 MM
Net Weight	: 1.7 KG
Gross Weight	: 2.9 KG