


INSTANTANEOUS SHOWER HEATER

MADE IN
MALAYSIA

12 + 5
MONTHS
ELECTRICAL PARTS
YEARS
HEATING ELEMENT
WARRANTY


Srefresh⁺



RAIN 1

INSTANT SHOWER HEATER

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW (DC PUMP)
MIN. WATER FLOW RATE	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: POLYMER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L800 X W268 X H155 MM
NET WEIGHT	: 3.3 KG
GROSS WEIGHT	: 4.7 KG



RAIN 1 PRO

INSTANT SHOWER HEATER



RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW (DC PUMP)
MIN. WATER FLOW RATE	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: COPPER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L800 X W268 X H155 MM
NET WEIGHT	: 3.5 KG
GROSS WEIGHT	: 4.9 KG

INSTANTANEOUS SHOWER HEATER

MADE IN
MALAYSIA

12 + 5
MONTHS
ELECTRICAL PARTS
YEARS
HEATING ELEMENT
WARRANTY

Srefresh+



INSTANT SHOWER HEATER

N8280SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: POLYMER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L670 X W220 X H112 MM
NET WEIGHT	: 1.5 KG
GROSS WEIGHT	: 2.7 KG

INSTANT SHOWER HEATER

N8380SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: COPPER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L670 X W220 X H112 MM
NET WEIGHT	: 1.7 KG
GROSS WEIGHT	: 2.9 KG

INSTANTANEOUS SHOWER HEATER

MADE IN
MALAYSIA

12 + 5
MONTHS
ELECTRICAL PARTS
YEARS
HEATING ELEMENT
WARRANTY


Srefresh⁺



INSTANT SHOWER HEATER

N3230SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: POLYMER
PRODUCT DIMENSIONS	: H360 X W240 X D96 MM
PACKAGING DIMENSIONS	: L570 X W268 X H112 MM
NET WEIGHT	: 1.4 KG
GROSS WEIGHT	: 2.6 KG



INSTANT SHOWER HEATER

N78SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: COPPER
PRODUCT DIMENSIONS	: H360 X W240 X D90 MM
PACKAGING DIMENSIONS	: L570 X W268 X H112 MM
NET WEIGHT	: 2.5 KG
GROSS WEIGHT	: 3.1 KG