

nnio



NICE

NEW

INTERESTING


OBJECT

LOYALTY

PASSION

CREATIVITY

BOLDNESS



Together, we create a better tomorrow

NNIO: Essential Simplicity in a Chaotic World

Let's face it—life's already complicated. Technology was supposed to simplify things, instead, it often adds more layers of confusion. That's where NNIO steps in. We're here to strip things down to what really matters: air, water, and living.

Founded in 2024, NNIO was born with a simple mission—make your everyday life easier. We don't believe in overloading our products with unnecessary features. Instead, we focus on delivering seamless, high-quality experiences that fit into your life without fuss.

From our fans that keep your space breezy and fresh to vacuums that make cleaning ridiculously easy, our products are designed with simplicity at its core. We're not just about aesthetics—we're about solving the real problems that complicate your daily routine.

Minimalism Done Right

Let's be clear: minimalism isn't about doing less. It's about doing more with less. More time for what matters, more ease in your everyday, more space for things that actually make a difference. At NNIO, we believe in cutting out the noise and delivering pure function, all without losing any of the benefits.

Our products don't need bells and whistles to prove their worth. They just work—no hassle, no complexity. Think of us as your personal assistant in simplifying life.

Our vision, "**Together, we create a better tomorrow,**" is not just a statement but a guiding principle. We believe that by collaborating with our customers, partners, and communities, we can create a future filled with innovation and progress. This ethos drives us to constantly improve, ensuring that every NNIO product you bring into your home is a step towards a better tomorrow.

Join us on this journey and experience the NNIO difference—where innovation meets simplicity, and together, we create a better tomorrow.

MINI WONDER HELPER


N0680MVC



VACUUM CLEANER

2 YEARS
WARRANTY
EXCLUDING CONSUMABLE PARTS

Vclean+



MINI WONDER HELPER

N0680MVC

- 100-240V~50/60Hz, 120W
- 2 SUCTION MODES
- **REMOVABLE LITHIUM-ION BATTERY:** 2200mAh, 11.1V
- **WORKING TIME:** 7-13 KPA, 9-20 MINS
- **CHARGING TIME:** 4.5 HOURS
- **NOISE LEVEL:** 80 dB
- HEPA FILTRATION
- 200ML DUST CAPACITY

Accessories: Charging Dock, 3-in-1 Crevice Nozzle, Vacuum Brush Head, Blower attachment, Rubber Tube + Direct Air-Flow attachment



VACUUM CLEANER

2 YEARS WARRANTY
EXCLUDING CONSUMABLE PARTS

Vclean+



CORDLESS STICK VACUUM CLEANER

N6830SVC

- 100-240V~50/60Hz, 280W
- 2 SUCTION MODES
- **REMOVABLE LITHIUM-ION BATTERY:** 2200 mAh 25.9V
- **WORKING TIME:** 7-23 KPA 15-45 MINS
- **CHARGING TIME:** 4.5 HOURS
- **NOISE LEVEL:** 78 dB
- HEPA FILTRATION
- 1L DUST CAPACITY

Accessories: 2-in-1 Crevice Nozzle



CORDLESS STICK VACUUM CLEANER

N6630SVC

- 100-240V~50/60Hz, 200W
- 2 SUCTION MODES
- **REMOVABLE LITHIUM-ION BATTERY:** 2200 mAh 22.2V
- **WORKING TIME:** 6-19 KPA, 12-55 MINS
- **CHARGING TIME:** 5 HOURS
- **NOISE LEVEL:** 80 dB
- HEPA FILTRATION
- 760ML DUST CAPACITY

Accessories: 2-in-1 Crevice Nozzle



VACUUM CLEANER

2 YEARS
WARRANTY
EXCLUDING CONSUMABLE PARTS


Vclean+

CORDLESS STICK VACUUM CLEANER

N6660SVC

- 100-240V~50/60Hz, 140W
- 2 SUCTION MODES
- DC MOTOR
- **LITHIUM-ION BATTERY:** 2200 mAh 22.2V
- **WORKING TIME:** 4-12 KPA, 25-45 MINS
- **CHARGING TIME:** 4.5 HOURS
- **NOISE LEVEL:** 76 dB
- 650ML DUST CAPACITY

Accessories: 2-in-1 Crevice Nozzle




CORDLESS HANDHELD VACUUM

N0650HVC

- 100-240V~50/60Hz, 135W
- 2 SUCTION MODES
- **LITHIUM-ION BATTERY:** 2200 mAh 14.8V
- **WORKING TIME:** 7-11 KPA 9-20 MINS
- **CHARGING TIME:** 4.5 HOURS
- **NOISE LEVEL:** 76 dB
- HEPA FILTRATION
- 250ML DUST CAPACITY

Accessories: Crevice Nozzle, Brush Crevice Nozzle




BLDC MOTOR BLADELESS FAN



BLADELESS FAN

24 + 10
MONTHS
ELECTRICAL PARTS
YEARS
FAN MOTOR
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool⁺



9 SPEED SELECTION



8 HOUR TIMER



AUTOMATIC
LEFT-RIGHT OSCILLATION



CHILD & PET SAFE



CHOOSE FROM 3 OSCILLATION
ANGLES: 30° | 60° | 90°

CHOOSE FROM 4 OSCILLATION
ANGLES: 30° | 60° | 90° | 120°

BLDC MOTOR BLADELESS FAN

N6100DCBLF

VOLTAGE	: 100-240V~50/60Hz
RATED POWER	: 24W
PRODUCT DIMENSIONS	: L210 X W210 X H500 MM
PACKAGING DIMENSIONS	: L236 X W236 X H550 MM
NET WEIGHT	: 2.1 KG

BLDC MOTOR BLADELESS FAN WITH REMOTE

N6200DCBLFR

VOLTAGE	: 100-240V~50/60Hz
RATED POWER	: 35W
PRODUCT DIMENSIONS	: L250 X W250 X H970 MM
PACKAGING DIMENSIONS	: L1025 X W285 X H280 MM
NET WEIGHT	: 3.3 KG





16" DC MOTOR
STAND FAN
WITH REMOTE
N1600DCSFR



16" DC MOTOR
STAND FAN
WITH REMOTE
N1650DCSFR

DC MOTOR FAN

DC MOTOR FAN

24 + 10
MONTHS ELECTRICAL PARTS
YEARS FAN MOTOR
WARRANTY
EXCLUDING CONSUMABLE PARTS


Acool⁺



16" DC MOTOR STAND FAN WITH REMOTE

N1600DCSFR

VOLTAGE	: 110-240V~ 50/60Hz
RATED POWER	: 30W
PRODUCT DIMENSIONS	: L450 X W410 X H1360 MM
PACKAGING DIMENSIONS	: L545 X W150 X H560 MM
NET WEIGHT	: 5.97 KG
GROSS WEIGHT	: 7.18 KG



16" DC MOTOR STAND FAN WITH REMOTE

N1650DCSFR

VOLTAGE	: 220-240V~ 50/60Hz
RATED POWER	: 33W
PRODUCT DIMENSIONS	: L400 X W400 X H1260 MM
PACKAGING DIMENSIONS	: L660 X W185 X H450 MM
NET WEIGHT	: 6.1 KG
GROSS WEIGHT	: 7.2 KG

AC MOTOR FAN

24 + 10
MONTHS
ELECTRICAL PARTS
YEARS
FAN MOTOR
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool⁺



16" | 18" STAND FAN WITH REMOTE

N1670SFR | N1820SFR

VOLTAGE
- 220-240V/50Hz

RATED POWER
- 65W | 85W

PRODUCT DIMENSIONS
- L450 X W410 X H1360 MM (16")
- L450 X W510 X H1470 MM (18")

PACKAGING DIMENSIONS
- L545 X W150 X H560 MM

NET WEIGHT
- 5.97 KG | 7.26 KG

GROSS WEIGHT
- 7.18 KG | 8.67 KG



6 ABS BLADES



3 SPEED SELECTION



3 MODE SELECTION



9 HOUR TIMER



16" | 18" STAND FAN

N1660SF | N1810SF

VOLTAGE
- 220-240V/50Hz

RATED POWER
- 60W | 80W

PRODUCT DIMENSIONS
- L450 X W410 X H1360 MM (16")
- L450 X W510 X H1470 MM (18")

PACKAGING DIMENSIONS
- L545 X W150 X H560 MM

NET WEIGHT
- 6.15 KG | 7.26 KG

GROSS WEIGHT
- 7.18 KG | 8.67 KG



6 ABS BLADES



3 SPEED SELECTION



2 HOUR TIMER



16" STAND FAN WITH REMOTE

N1690SFR

VOLTAGE
- 220-240V/50Hz

RATED POWER
- 55W

PRODUCT DIMENSIONS
- L445 X W400 X H1310 MM

PACKAGING DIMENSIONS
- L500 X W150 X H585 MM

NET WEIGHT
- 5.83 KG

GROSS WEIGHT
- 7.2 KG



5 ABS BLADES



3 SPEED SELECTION



3 MODE SELECTION



7.5 HOUR TIMER



16" STAND FAN

N1680SF

VOLTAGE
- 220-240V/50Hz

RATED POWER
- 50W

PRODUCT DIMENSIONS
- L445 X W400 X H1310 MM

PACKAGING DIMENSIONS
- L500 X W150 X H585 MM

NET WEIGHT
- 5.83 KG

GROSS WEIGHT
- 7.2 KG



5 ABS BLADES



3 SPEED SELECTION



2 HOUR TIMER

AC MOTOR FAN

24 + 10
MONTHS ELECTRICAL PARTS YEARS FAN MOTOR
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool⁺



5 ABS BLADES



3 SPEED SELECTION



LEFT-RIGHT OSCILLATION

16" WALL FAN

N1630WF

VOLTAGE	: 220-240V/50Hz
RATED POWER	: 60W
PRODUCT DIMENSIONS	: L445 X W530 X H550 MM
PACKAGING DIMENSIONS	: L445 X W330 X H550 MM
NET WEIGHT	: 3.22 KG
GROSS WEIGHT	: 4.22 KG



5 ABS BLADES



3 SPEED SELECTION



7 HOUR TIMER

16" WALL FAN WITH REMOTE

N1640WFR

VOLTAGE	: 220-240V/50Hz
RATED POWER	: 60W
PRODUCT DIMENSIONS	: L445 X W330 X H550 MM
PACKAGING DIMENSIONS	: L480 X W160 X H565 MM
NET WEIGHT	: 3.25 KG
GROSS WEIGHT	: 4.25 KG



5 ABS BLADES



3 SPEED SELECTION



2 MODE SELECTION



7 HOUR TIMER

16" WALL FAN WITH REMOTE

N1620WFR

VOLTAGE	: 220-240V/50Hz
RATED POWER	: 60W
PRODUCT DIMENSIONS	: L445 X W530 X H550 MM
PACKAGING DIMENSIONS	: L480 X W160 X H565 MM
NET WEIGHT	: 3.23 KG
GROSS WEIGHT	: 4.23 KG



3 ABS BLADES



3 SPEED SELECTION



LEFT-RIGHT OSCILLATION

16" TABLE FAN

N1610TF

VOLTAGE	: 220-240V, 50/60Hz
RATED POWER	: 50W
PRODUCT DIMENSIONS	: L450 X W285 X H620 MM
PACKAGING DIMENSIONS	: L480 X W135 X H570 MM
NET WEIGHT	: 2.79 KG
GROSS WEIGHT	: 3.65 KG

EZ88



12" BLDC AIR CIRCULATOR STAND FAN



7 SPEED
SELECTION



60° / 90° / 120°
LEFT-RIGHT
OSCILLATION



AUTO SPEED
BY TEMP



7 HOUR
TIMER







10" BLDC MOTOR WALL AIR CIRCULATOR WITH REMOTE

N1000DCWFR

AIR CIRCULATING FAN

24 + 10
MONTHS
ELECTRICAL PARTS
WARRANTY
EXCLUDING CONSUMABLE PARTS
YEARS
FAN MOTOR


Acool+



10" BLDC MOTOR WALL AIR CIRCULATOR WITH REMOTE

N1000DCWFR

VOLTAGE	: 220-240V~ 50-60Hz
RATED POWER	: 25W
PRODUCT DIMENSIONS	: L275 X W328 X H560 MM
PACKAGING DIMENSIONS	: L596 X W313 X H356 MM
NET WEIGHT	: 3.5 KG



AIR CIRCULATING FAN

24 + 10
MONTHS
ELECTRICAL PARTS
WARRANTY
EXCLUDING CONSUMABLE PARTS
YEARS
FAN MOTOR

Acool+



14" BLDC MOTOR STAND FAN WITH REMOTE

N1400DCSFR

VOLTAGE	: 100-240V~50/60Hz
RATED POWER	: 36W
PRODUCT DIMENSIONS	: L390 X W390 X H940-1150 MM
PACKAGING DIMENSIONS	: L821 X W420 X H221 MM
NET WEIGHT	: 4.2 KG



AIR CIRCULATING FAN

24 + 10
MONTHS ELECTRICAL PARTS YEARS FAN MOTOR
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool+

10" HIGH VELOCITY AIR CIRCULATOR WITH REMOTE

N1005DCACR


VOLTAGE : 220-240V~ 50-60Hz
RATED POWER : 25W
PRODUCT DIMENSIONS : L275 X W230 X H370 MM
PACKAGING DIMENSIONS : L307 X W253 X H393 MM
NET WEIGHT : 2.5 KG



8" 360 HIGH VELOCITY AIR CIRCULATOR WITH REMOTE

N1800DCACR

VOLTAGE : 220-240V~ 50/60Hz
RATED POWER : 18W
PRODUCT DIMENSIONS : L240 X W215 X H341 MM
PACKAGING DIMENSIONS : L260 X W235 X H365 MM
NET WEIGHT : 2.5 KG



8" 360 HIGH VELOCITY AIR CIRCULATOR

N1008AC

VOLTAGE : 220-240V~ 50/60Hz
RATED POWER : 36W
PRODUCT DIMENSIONS : L240 X W215 X H341 MM
PACKAGING DIMENSIONS : L260 X W235 X H365 MM
NET WEIGHT : 2.5 KG





PureBreeze Series

Cool Breeze | Protected Co

TWISTER
BLDC Motor Purifying
Air Circulator Fan

ries
mfort

AIRPRO
Multi-Purpose Air Cooler
N55MPAC



**HEPA-14
AIR PURIFIER**
NH14PRO



TWISTER



7" BLDC PURIFYING AIR CIRCULATOR FAN

AIR CIRCULATING FAN

24 + 10
MONTHS ELECTRICAL PARTS YEARS FAN MOTOR
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool+



TWISTER

7" BLDC MOTOR PURIFYING AIR CIRCULATOR FAN

VOLTAGE	: 220-240V~ 50-60Hz
RATED POWER	: 27W
FAN BLADE	: 7" 3 BLADES
PRODUCT DIMENSIONS	: L312 X W283.6 X H477 MM
PACKAGING DIMENSIONS	: L358 X W328 X H528 MM
NET WEIGHT	: 3.5 KG



12 SPEED SELECTION



FILTER CHANGE REMINDER



PLASMA STERILISATION



24 HOUR TIMER



80° AUTOMATIC LEFT-RIGHT OSCILLATION




5 MANUAL UP-DOWN ADJUSTMENT ANGLES



AI PURIFYING FUNCTION



CHILD-LOCK FUNCTION



[^] HEPA-13 filter captures up to 99.95% of airborne particles as small as 0.3 microns. While HEPA-13 is commonly used in environments such as hospitals, this product is not certified or intended for medical use in healthcare settings. For specific medical-grade air filtration needs, consult healthcare professionals.

HEPA-14 Air Purifier

NH14PRO





HEPA-14 AIR PURIFIER

NH14PRO

VOLTAGE : 100-240V~50/60Hz
MAXIMUM RATED POWER : 38W
AREA COVERAGE : 520 sqft
CLEAN AIR DELIVERY RATE : 400m³/hr
PRODUCT DIMENSIONS : L315 X W315 X H560 MM
PACKAGING DIMENSIONS : L291 X W290 X H531 MM
NET WEIGHT : 3.8 KG



UV STERILISATION



FILTER CHANGE REMINDER



ION PURIFICATION



12 HOUR TIMER



4 SPEED SELECTION



NIGHT MODE



HEPA-14 is a classification of High-Efficiency Particulate Air (HEPA) filters. These filters are known for their high level of efficiency in trapping airborne particles.

Efficiency: HEPA-14 filters are capable of capturing at least 99.995% of airborne particles as small as 0.3 microns in diameter. This makes them highly effective at removing dust, pollen, mold, bacteria and other small particles from the air.

Standards: HEPA filters are classified according to the European Norm (EN 1822) standard. HEPA-14 is one of the highest grades, ensuring superior air filtration performance.

* HEPA-14 is commonly used in environments such as hospitals, this product is not certified or intended for medical use in healthcare settings. For specific medical-grade air filtration needs, consult healthcare professionals.

AIRPRO

MULTI-PURPOSE AIR COOLER

N55MPAC



AIR COOLER

2 YEARS WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool+



AIRPRO MULTI-PURPOSE AIR COOLER N55MPAC

VOLTAGE : 220-240V~ 50Hz
RATED POWER : 65W
PRODUCT DIMENSIONS : 279.5 X 276 X 749.2 MM
PACKAGING DIMENSIONS : 330 X 315 X 795 MM
WATER TANK CAPACITY : 5.5L
NET WEIGHT : 6.9 KG

Indicator Colour	Air Quality
Green	Good
Orange	Average
Red	Poor





nnio

AIR COOLER

2 YEARS
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool⁺



10L DC MOTOR AIR COOLER

N1088DCACR

VOLTAGE	: 220-240V~ 50Hz
RATED POWER	: 38W
PRODUCT DIMENSIONS	: L308.5 X W279.2 X H938.2 MM
PACKAGING DIMENSIONS	: L340 X W330 X H775 MM
WATER TANK CAPACITY	: 10L
NET WEIGHT	: 6.1 KG



**DRY AIR
FUNCTION**



**HUMIDITY
FUNCTION**




**24 HOUR
TIMER**



**PLASMA
STERILISATION**



DEHUMIDIFIER



DEHUMIDIFIER

2 YEARS
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool⁺



12L DEHUMIDIFIER

N5012DH

VOLTAGE	: 220-240V~ 50Hz
RATED POWER	: 250W
DEHUMIDIFY CAPACITY	: 12L/DAY
WATER TANK CAPACITY	: 2.5L
PRODUCT DIMENSIONS	: L250 X W250 X H480 MM
PACKAGING DIMENSIONS	: L284 X W284 X H528 MM
NET WEIGHT	: 10 KG

25L DEHUMIDIFIER

N5025DH

VOLTAGE	: 220-240V~ 50Hz
RATED POWER	: 420W
DEHUMIDIFY CAPACITY	: 25L/DAY
WATER TANK CAPACITY	: 3.5L
PRODUCT DIMENSIONS	: L260 X W260 X H618 MM
PACKAGING DIMENSIONS	: L312 X W312 X H665 MM
NET WEIGHT	: 14 KG

Real-time humidity Indicator

An integrated system that changes colour to visually identify the level of humidity in the air.



≤ 50%
Low Humidity



50%- 70%
Medium Humidity



≥ 70%
High Humidity

PORTABLE FAN



PORTABLE HIGH SPEED HANDHELD FAN

1 YEAR WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool+



STRONG WIND



100 SPEED SELECTION



BUILT-IN WALL MOUNT SLOT



LED POWER DISPLAY



COMPACT AND PORTABLE



100 SPEED SELECTION



LED POWER DISPLAY

U-2

HIGH SPEED PORTABLE FAN

CELL TYPE	: Li-18650
CAPACITY	: 3600mAh
TYPE-C INPUT	: 5V/2A
POWER	: 10W
WORKING TIME	: < 11 HOURS
CHARGING TIME	: 5 HOURS
SPEED SETTINGS	: UP TO 100
MATERIAL	: ABS + ELECTRONIC COMPONENTS
PRODUCT DIMENSIONS	: 182 X 170 X 105 MM
NET WEIGHT	: 640 G

U-MINI

HIGH SPEED PORTABLE HANDHELD FAN

CELL TYPE	: Li-18650
CAPACITY	: 1800mAh
TYPE-C INPUT	: 5V/1A
POWER	: 5W
WORKING TIME	: < 7 HOURS
CHARGING TIME	: 3 HOURS
SPEED SETTINGS	: UP TO 100
MATERIAL	: ABS + ELECTRONIC COMPONENTS
PRODUCT DIMENSIONS	: 124 X 40 X 47 MM
NET WEIGHT	: 108 G

PORTABLE HIGH SPEED HANDHELD FAN

1 YEAR WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool+



COMPACT AND PORTABLE



UP TO 100 STEPLESS FAN SPEED SELECTION



UP TO 11 HOURS OF STRONG WIND



COMPACT AND PORTABLE



UP TO 100 STEPLESS FAN SPEED SELECTION



POWER DISPLAY

PORTABLE HIGH SPEED USB FAN

N2800USBF

CELL TYPE	: Li-18650
CAPACITY	: 5000mAh
TYPE-C INPUT	: 5V/2A
POWER	: 6W
WORKING TIME	: < 11 HOURS
CHARGING TIME	: 3 HOURS
SPEED SETTINGS	: UP TO 100
MATERIAL	: ABS + PLATE
PRODUCT DIMENSIONS	: 171 X 59.5 X 58 MM
WEIGHT	: 205 G

U-PRO

HIGH SPEED PORTABLE HANDHELD FAN

CELL TYPE	: Li-18650
CAPACITY	: 3600mAh
TYPE-C INPUT	: 5V/1A
POWER	: 5W
WORKING TIME	: < 11 HOURS
CHARGING TIME	: 4.5 HOURS
SPEED SETTINGS	: UP TO 100
MATERIAL	: ABS + ELECTRONIC COMPONENTS
PRODUCT DIMENSIONS	: 156 X 60 X 90 MM
NET WEIGHT	: 200 G

RECHARGEABLE PORTABLE FAN

1 YEAR
WARRANTY
EXCLUDING CONSUMABLE PARTS

Acool⁺



3 SPEED
SELECTION



LEFT-RIGHT
OSCILLATION



UP TO
6 HOURS



NEGATIVE ION
PURIFICATION



3 SPEED
SELECTION



SOFT RUBBER
TRIPOD



AUTOMATIC
ROTATABLE HEAD

RECHARGEABLE PICNIC FAN

N1200USBDF

CELL TYPE	: Li-21700
CAPACITY	: 6000mAh
TYPE-C INPUT	: 5V/2A
POWER	: 12W
SPEED SETTINGS	: LOW MEDIUM HIGH
PRODUCT DIMENSIONS	: 220 X 145 X 285 MM
WEIGHT	: 680 G

BABY GAI GAI FAN

N3600USBF



CELL TYPE	: Li-18650
CAPACITY	: 3600mAh
TYPE-C INPUT	: 5V/2A
POWER	: 4W
SPEED SETTINGS	: LOW MEDIUM HIGH
PRODUCT DIMENSIONS	: 116 X 100 X 319.8 MM
NET WEIGHT	: 453 G

INSTANTANEOUS SHOWER HEATER

MADE IN MALAYSIA

12 + 5 MONTHS ELECTRICAL PARTS WARRANTY YEARS HEATING ELEMENT

S refresh+



RAIN 1

INSTANT SHOWER HEATER

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW (DC PUMP)
MIN. WATER FLOW RATE	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: POLYMER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L800 X W268 X H155 MM
NET WEIGHT	: 3.3 KG
GROSS WEIGHT	: 4.7 KG

RAIN 1 PRO

INSTANT SHOWER HEATER



RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW (DC PUMP)
MIN. WATER FLOW RATE	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: COPPER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L800 X W268 X H155 MM
NET WEIGHT	: 3.5 KG
GROSS WEIGHT	: 4.9 KG

INSTANTANEOUS SHOWER HEATER

MADE IN MALAYSIA

12 + 5 MONTHS ELECTRICAL PARTS WARRANTY YEARS HEATING ELEMENT

Srefresh+



INSTANT SHOWER HEATER

N8280SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: POLYMER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L670 X W220 X H112 MM
NET WEIGHT	: 1.5 KG
GROSS WEIGHT	: 2.7 KG

INSTANT SHOWER HEATER

N8380SH


RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: COPPER
PRODUCT DIMENSIONS	: H425 X W200 X D95 MM
PACKAGING DIMENSIONS	: L670 X W220 X H112 MM
NET WEIGHT	: 1.7 KG
GROSS WEIGHT	: 2.9 KG

INSTANTANEOUS SHOWER HEATER

MADE IN MALAYSIA

12 + 5
MONTHS ELECTRICAL PARTS
YEARS HEATING ELEMENT
WARRANTY

Srefresh+



INSTANT SHOWER HEATER

N3230SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: POLYMER
PRODUCT DIMENSIONS	: H360 X W240 X D96 MM
PACKAGING DIMENSIONS	: L570 X W268 X H112 MM
NET WEIGHT	: 1.4 KG
GROSS WEIGHT	: 2.6 KG

INSTANT SHOWER HEATER


N78SH

RATED VOLTAGE	: 230V 50/60Hz
RATED POWER	: 3.3KW
MIN. WATER FLOW	: 2 L/M
MIN. INLET WATER PRESSURE	: 0.2 BAR (0.02MPA)
MAX. INLET WATER PRESSURE	: 3 BAR (0.3MPA)
HEATER TANK	: COPPER
PRODUCT DIMENSIONS	: H360 X W240 X D90 MM
PACKAGING DIMENSIONS	: L570 X W268 X H112 MM
NET WEIGHT	: 2.5 KG
GROSS WEIGHT	: 3.1 KG



E-Risen Distribution Hub Pte Ltd
178 Paya Lebar Road, #02-05
Singapore 409030
Tel: (65) 6993 0506
UEN: 202338955N
WWW.NNIO.ASIA

Follow Us:

 NNIO Singapore

 @nnio_sg